



































































































ARTIKEL	SLIKA IN DIMENZIJE ARTIKLA		
<p>GP015</p>	 <p>ord.nr.: 015</p>		<p>suitable for: J.A.B. BECKER Ø = 115 mm b = 73 mm d = 20 mm 0,25 kg</p>
<p>GP24481</p>	 <p>ord.nr.: 024481</p>		<p>suitable for: J.A.B. BECKER Ø = 120 mm b = 75 mm d = 21 mm 0,15 kg</p>
<p>GP169100MET</p>	 <p>ord.nr.: 169100MET</p>	 <p>with steel plate</p>	<p>suitable for: J.A.B. BECKER / ATH / HOFMANN / HERRMANN Ø = 120 mm a = 110 mm d = 4 mm e = 16 mm 0,29 kg</p>
<p>GP169100</p>	 <p>ord.nr.: 169100</p>		<p>suitable for: J.A.B. BECKER / ATH / HOFMANN / HERRMANN Ø = 120 mm a = 110 mm d = 4 mm e = 16 mm 0,15 kg</p>
<p>GP169130</p>	 <p>ord.nr.: 169130</p>		<p>suitable for: HERRMANN Ø = 130 mm a = 122 mm d = 5 mm e = 17 mm 0,20 kg</p>
<p>GP335022</p>	 <p>ord.nr.: 335022</p>		<p>suitable for: HOFMANN Ø = 140 mm a = 132 mm d = 4 mm e = 17 mm 0,20 kg</p>
<p>GP335160-GS5.0</p>	 <p>ord.nr.: 335160-GS5.0</p>		<p>suitable for: HOFMANN Ø = 160 mm a = 148 mm d = 6 mm e = 24 mm 0,38 kg</p>
<p>GP336000</p>	 <p>ord.nr.: 336000</p>		<p>suitable for: HOFMANN d = 25 mm w = 91 mm l = 162 mm 0,24 kg</p>















<p>GP01103031</p>	 <p>ord.nr.: 01103031</p>	 <p>with steel plate</p>	<p>suitable for: NUSSBAUM / AMI</p> <p>Ø = 125 mm a = 120 mm b = 90 mm d = 24 mm 0,30 kg</p>
<p>GPGK125/120</p>	 <p>ord.nr.: GK125/120</p>	 <p>with steel plate</p>	<p>suitable for: SLIFT / IME</p> <p>Ø = 127 mm a = 120 mm b = 83 mm d = 9 mm e = 28 mm 0,35 kg</p>
<p>GPGK155/16</p>	 <p>ord.nr.: GK155/16</p>	 <p>with steel plate</p>	<p>suitable for: SLIFT / IME</p> <p>Ø = 155 mm a = 153 mm b = 85 mm d = 16 mm 0,30 kg</p>
<p>GPGK122/12</p>	 <p>ord.nr.: GK122/12</p>	 <p>with steel plate</p>	<p>suitable for: SLIFT / IME</p> <p>Ø = 122 mm a = 116 mm b = 80 mm d = 12 mm 0,15 kg</p>
<p>GP36001.04.04.001</p>	 <p>ord.nr.: 36001.04.04.001</p>		<p>suitable for: MAHA / SLIFT</p> <p>Ø = 120 mm a = 112 mm b = 83 mm d = 5 mm e = 18 mm 0,15 kg</p>
<p>GP115172024</p>	 <p>ord.nr.: 115172024</p>		<p>suitable for: MAHA / SLIFT</p> <p>Ø = 100 mm a = 90 mm b = 63 mm d = 5 mm e = 17,5 m 0,10 kg</p>
<p>GP17202301MET</p>	 <p>ord.nr.: 17202301MET</p>	 <p>with steel plate</p>	<p>suitable for: MAHA</p> <p>Ø = 120 mm a = 113 mm b = 83 mm d = 8 mm e = 22 mm 0,26 kg</p>
<p>GP17202301</p>	 <p>ord.nr.: 17202301</p>		<p>suitable for: MAHA</p> <p>Ø = 120 mm a = 113 mm b = 83 mm d = 8 mm e = 22 mm 0,15 kg</p>

















<p>GP121KP6Z215</p>	 <p>ord.nr.: 121KP6Z215</p>		<p>suitable for: RAVAGLIOLI Ø = 144 mm a = 117 mm d = 20 mm 0,30 kg</p>
<p>GP047021040</p>	 <p>ord.nr.: 047021040</p>		<p>suitable for: RAVAGLIOLI Ø = 145 mm b = 45 mm d = 26 mm 0,30 kg</p>
<p>GP04640577</p>	 <p>ord.nr.: 04640577</p>		<p>suitable for: RAVAGLIOLI Ø = 120 mm b = 36 mm d = 27 mm 0,25 kg</p>
<p>GP046405772MET</p>	 <p>ord.nr.: 046405772MET</p>	 <p>with steel plate</p>	<p>suitable for: RAVAGLIOLI / WERTHER Ø = 123 mm a = 110 mm d = 10 mm e = 25 mm 0,30 kg</p>
<p>GP046405772</p>	 <p>ord.nr.: 046405772</p>		<p>suitable for: RAVAGLIOLI / WERTHER Ø = 123 mm a = 110 mm d = 10 mm e = 25 mm 0,15 kg</p>
<p>GP047021850MET</p>	 <p>ord.nr.: 047021850MET</p>	 <p>with steel plate</p>	<p>suitable for: RAVAGLIOLI / SIRIO / SPACE Ø = 100 mm a = 87 mm d = 9 mm e = 21 mm 0,17 kg</p>
<p>GP047021850</p>	 <p>ord.nr.: 047021850</p>		<p>suitable for: RAVAGLIOLI / SIRIO / SPACE Ø = 100 mm a = 87 mm d = 9 mm e = 21 mm 0,10 kg</p>
<p>GP047021041</p>	 <p>ord.nr.: 047021041</p>		<p>suitable for: RAVAGLIOLI Ø = 148 mm a = 133 mm d = 10 mm e = 25 mm 0,26 kg</p>















<p>GPOMCN-140</p>	 <p>ord.nr.: OMCN-140</p>		<p>suitable for: OMCN Ø = 143 mm d = 27 mm 0,35 kg</p>
<p>GPOMCN-140-002</p>	 <p>ord.nr.: OMCN-140-002</p>		<p>suitable for: OMCN Ø = 140 mm b = 42 mm d = 29 mm 0,31 kg</p>
<p>GPWERTHER002</p>	 <p>ord.nr.: WERTHER002</p>		<p>suitable for: WERTHER / OMA / BRADBURY / TECALEMIT / AUTECH Ø = 140 mm d = 15 mm 0,25 kg</p>
<p>GPWERTHER001-B1007</p>	 <p>ord.nr.: WERTHER001-B1007</p>		<p>suitable for: WERTHER / OMA / TECALEMIT Ø = 122 mm a = 114 mm d = 10 mm e = 28 mm 0,23 kg</p>
<p>GP15.87.425</p>	 <p>ord.nr.: 15.87.425</p>		<p>suitable for: ZIPPO / FOG Ø = 127 mm a = 123 mm d = 8 mm e = 22 mm 0,15 kg</p>
<p>GP15.87.410</p>	 <p>ord.nr.: 15.87.410</p>	 <p>with steel plate</p>	<p>suitable for: ZIPPO Ø = 100 mm b = 35 mm d = 17 mm 0,24 kg</p>
<p>GP15.87.420</p>	 <p>ord.nr.: 15.87.420</p>	 <p>with steel plate</p>	<p>suitable for: ZIPPO Ø = 120 mm b = 44 mm d = 16 mm 0,30 kg</p>
<p>GP15.87.450</p>	 <p>ord.nr.: 15.87.450</p>	 <p>with steel plate</p>	<p>suitable for: ZIPPO Ø = 149 mm b = 105 mm d = 15 mm 0,75 kg</p>








<p>GP15.87.453</p>	 <p>ord.nr.: 15.87.453</p>	 <p>with steel plate</p>	<p>suitable for: ZIPPO</p> <p>Ø = 153 mm b = 102 mm d = 32 mm 0,75 kg</p>
<p>GP02-CONSUL</p>	 <p>ord.nr.: 02-CONSUL</p>	 <p>with steel plate</p>	<p>suitable for: CONSUL</p> <p>Ø = 138 mm d = 18 mm 0,75 kg</p>
<p>GP02-CONSUL-01</p>	 <p>ord.nr.: 02-CONSUL-01</p>	 <p>complete rotating plate</p>	<p>suitable for: CONSUL</p> <p>Ø = 135 mm a = 32 mm b = 40 mm 1,40 kg</p>
<p>GP02-CONSUL-01-CA</p>	 <p>ord.nr.: 02-CONSUL-01-CA</p>	 <p>rotating plate incl. changeable rubber pad</p>	<p>suitable for: CONSUL / ZIPPO</p> <p>Ø = 135 mm a = 32 mm b = 40 mm 1,50 kg</p>
<p>GP02-CONSUL-01-GTRP</p>	 <p>ord.nr.: 02-CONSUL-01-GTRP</p>	 <p>with steel plate</p>	<p>suitable for: CONSUL / ZIPPO</p> <p>Ø = 135 mm a = 129 mm d = 8 mm e = 10 mm 0,30 kg</p>
<p>GP664202</p>	 <p>ord.nr.: 664202</p>	 <p>with steel plate</p>	<p>suitable for: STENHOJ / AUTOP / FOG / CAR-O-LINER</p> <p>Ø = 121 mm b = 65 mm d = 9 mm 0,20 kg</p>
<p>GP664000</p>	 <p>ord.nr.: 664000</p>	 <p>with steel plate</p>	<p>suitable for: STENHOJ / NUSSBAUM / AUTOP / FOG / CAR-O- LINER</p> <p>Ø = 122 mm b = 65 / 88 mm d = 18 mm 0,18 kg</p>
<p>GP664160</p>	 <p>ord.nr.: 664160</p>	 <p>with steel plate</p>	<p>suitable for: STENHOJ</p> <p>Ø = 158 mm b = 47 mm d = 11 mm 0,40 kg</p>
<p>GPSK2030-105</p>	 <p>ord.nr.: SK2030-105</p>	 <p>with steel plate</p>	<p>suitable for: KONI / BRADBURY / HERKULES / TECALEMIT</p> <p>Ø = 105 mm a = 100 mm d = 10 mm e = 26 mm 0,15 kg</p>








<p>GPSK2030-124</p>	 <p>ord.nr.: SK2030-124</p>		<p>suitable for: KONI</p> <p>Ø = 124 mm a = 118 mm d = 5 mm e = 17 mm 0,16 kg</p>
<p>GPSK2030-160</p>	 <p>ord.nr.: SK2030-160</p>		<p>suitable for: KONI / ROMEICO / CAR-O-LINER</p> <p>Ø = 160 mm a = 153 mm d = 10 mm e = 28 mm 0,33 kg</p>
<p>GPROMEICO124</p>	 <p>ord.nr.: ROMEICO124</p>		<p>suitable for: ROMEICO / HH INTERTECH / CORGHI</p> <p>Ø = 124 mm a = 116 mm d = 10 mm e = 22 mm 0,15 kg</p>
<p>GPROTARY</p>	 <p>ord.nr.: ROTARY</p>		<p>suitable for: ROTARY</p> <p>Ø = 123 mm a = 112 mm d = 8 mm e = 20 mm 0,20 kg</p>
<p>GPROTARY-FJRP</p>	 <p>ord.nr.: ROTARY-FJRP</p>		<p>valido para: ROTARY</p> <p>b = 80 mm c = 56 mm d = 8 mm w = 82 mm l = 104 mm 0,12 kg</p>
<p>GPZAV-41-113</p>	 <p>ord.nr.: ZAV-41-113</p>		<p>suitable for: EUROLIFT / ORLANDINI</p> <p>Ø = 128 mm a = 112 mm d = 8 mm e = 22 mm 0,20 kg</p>
<p>GPISTO720300</p>	 <p>ord.nr.: IST0720300</p>		<p>suitable for: ISTOBAL / VELYEN</p> <p>Ø = 155 mm a = 147 mm d = 6 mm e = 24 mm 0,27 kg</p>
<p>GPIST1304800</p>	 <p>ord.nr.: IST1304800</p>		<p>suitable for: ISTOBAL / VELYEN</p> <p>Ø = 145 mm b = 60 mm d = 5 mm 0,10 kg</p>

<p>GPLAUNCH120</p>	 <p>ord.nr.: LAUNCH120</p>		<p>suitable for: LAUNCH / TWIN BUSCH / RP TOOLS</p> <p>Ø = 120 mm a = 108 mm b = 69 mm d = 32 mm 0,30 kg</p>
<p>GPAGM139</p>	 <p>ord.nr.: AGM139</p>		<p>suitable for: AGM / CORGHI / FOG</p> <p>Ø = 139 mm a = 130 mm d = 8 mm e = 28 mm 0,30 kg</p>
<p>GPCASCOS001</p>	 <p>ord.nr.: CASCOS001</p>		<p>suitable for: CASCOS</p> <p>Ø = 138 mm a = 130 mm d = 8 mm e = 21 mm 0,26 kg</p>
<p>GPBRADBURY001</p>	 <p>ord.nr.: BRADBURY001</p>		<p>suitable for: BRADBURY</p> <p>Ø = 158 mm a = 148 mm d = 11 mm e = 27 mm 0,37 kg</p>
<p>GPBRADBURY002</p>	 <p>ord.nr.: BRADBURY002</p>		<p>suitable for: BRADBURY</p> <p>Ø = 150 mm a = 142 mm d = 7 mm e = 22 mm 0,21 kg</p>
<p>GPRANGER001</p>	 <p>ord.nr.: RANGER001</p>		<p>suitable for: BENDPAK / RANGER</p> <p>d = 32 mm w = 143 mm l = 143 mm 0,50 kg</p>
<p>GPBENDPAK002</p>	 <p>ord.nr.: BENDPAK002</p>		<p>suitable for: BENDPAK</p> <p>b = 88 mm c = 88 mm d = 12 mm w = 119 mm l = 119 mm 0,20 kg</p>








<p>GPLAYCOCK001</p>	 <p>ord.nr.: LAYCOCK001</p>		<p>suitable for: LAYCOCK / KISMET d = 28 mm w = 80 mm l = 150 mm 0,27 kg</p>
<p>GPSILENT001</p>	 <p>ord.nr.: SILENT001</p>		<p>suitable for: SILENT b = 60 mm c = 40 mm d = 20 mm w = 83 mm l = 118 mm 0,27 kg</p>
<p>GPSILENT001MET</p>	 <p>ord.nr.: SILENT001MET</p>	 <p>with steel plate</p>	<p>suitable for: SILENT b = 60 mm c = 40 mm d = 20 mm w = 83 mm l = 118 mm 0,35 kg</p>
<p>GPHPOW001</p>	 <p>ord.nr.: HPOW001</p>		<p>suitable for: POWERREX / HESHBON Ø = 120 mm b = 25 mm d = 17 mm 0,21 kg</p>
<p>GPHPOW002</p>	 <p>ord.nr.: HPOW002</p>		<p>suitable for: POWERREX / HESHBON / ROTARY Ø = 120 mm b = 25 mm d = 25 mm 0,32 kg</p>
<p>GPBISHAMON001</p>	 <p>ord.nr.: BISHAMON001</p>	 <p>with steel plate</p>	<p>suitable for: BISHAMON b = 74 mm c = 40 mm d = 20 mm w = 80 mm l = 116 mm 0,28 kg</p>
<p>GPBISHAMON002</p>	 <p>ord.nr.: BISHAMON002</p>	 <p>with steel plate</p>	<p>suitable for: BISHAMON b = 45 mm c = 40 mm d = 16 mm w = 92 mm l = 112 mm 0,31 kg</p>
<p>GPGTCN001</p>	 <p>ord.nr.: GTCN001</p>		<p>suitable for: many chinese manufactured lifts Ø = 125 mm b = 90 mm d = 10 mm 0,17 kg</p>

<p>GPNORDKIFT17200</p>	 <p>ord.nr.: NORDLIFT17200</p>		<p>suitable for: NORDLIFT Ø = 127 mm a = 115 mm d = 7 mm e = 23 mm 0,17 kg</p>
<p>GP149950</p>	 <p>ord.nr.: 149950</p>		<p>suitable for: J.A.B. BECKER b = 73 mm d = 18 mm w = 81 mm l = 100 mm 0,15 kg</p>
<p>GP100100</p>	 <p>ord.nr.: 100100</p>		<p>suitable for: COMPAQ d = 32 mm w = 120 mm l = 120 mm 0,18 kg</p>
<p>GPAC-GS1</p>	 <p>ord.nr.: AC-GS1</p>		<p>suitable for: AC HYDRAULIC Ø = 110 mm d = 20 mm 0,17 kg</p>
<p>GPAC-GS2</p>	 <p>ord.nr.: AC-GS2</p>		<p>suitable for: AC HYDRAULIC / MAHA / ROTARY d = 17 mm w = 61 mm l = 112 mm 0,15 kg</p>
<p>GPCOL001</p>	 <p>ord.nr.: COL001</p>		<p>suitable for: CAR-O-LINER Ø = 89 mm a = 80 mm d = 17 mm 0,10 kg</p>
<p>GP165042</p>	 <p>ord.nr.: 165042</p>	<p>150 x 150 x 100 mm 1,90 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GP165030</p>	 <p>ord.nr.: 165030</p>	<p>150 x 150 x 70 mm 1,40 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>

<p>GP165036</p>	 <p>ord.nr.: 165036</p>	<p>150 x 150 x 60 mm 1,20 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GP165031</p>	 <p>ord.nr.: 165031</p>	<p>150 x 150 x 50 mm 1,10 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GP165034</p>	 <p>ord.nr.: 165034</p>	<p>150 x 150 x 40 mm 0,80 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GP165037</p>	 <p>ord.nr.: 165037</p>	<p>150 x 150 x 30 mm 0,72 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GP165040</p>	 <p>ord.nr.: 165040</p>	<p>180 x 100 x 100 mm 2,10 kg</p>	<p>suitable for: universal use</p>
<p>GP165033H</p>	 <p>ord.nr.: 165033H</p>	<p>220 x 140 x 85 mm with wooden core 2,75 kg</p>	<p>suitable for: universal use</p>
<p>GP165032</p>	 <p>ord.nr.: 165032</p>	<p>220 x 140 x 50 mm 1,80 kg</p>	<p>suitable for: universal use</p>

<p>GP165035</p>	 <p>ord.nr.: 165035</p>	<p>160 x 120 x 20 mm 0,60 kg</p>	<p>suitable for: J.A.B. BECKER / AUTOP / universal use</p>
<p>GPGK12/8</p>	 <p>ord.nr.: GK12/8</p>	<p>120 x 120 x 80 mm 1,10 kg</p>	<p>suitable for: SLIFT / IME / universal use</p>
<p>GP316930</p>	 <p>ord.nr.: 316930</p>	<p>120 x 100 x 50 mm 0,55 kg</p>	<p>suitable for: MAHA / universal use</p>
<p>GP38.31.829</p>	 <p>ord.nr.: 38.31.829</p>	<p>200 x 100 x 40 mm 0,95 kg</p>	<p>suitable for: ZIPPO / universal use</p>
<p>GP38.31.830</p>	 <p>ord.nr.: 38.31.830</p>	<p>200 x 100 x 70 mm with wooden core 1,20 kg</p>	<p>suitable for: ZIPPO / universal use</p>
<p>GP38.31.831</p>	 <p>ord.nr.: 38.31.831</p>	<p>230 x 140 x 120 mm with wooden core 4,60 kg</p>	<p>suitable for: ZIPPO / universal use</p>
<p>GP38.31.831OLD</p>	 <p>ord.nr.: 38.31.831OLD</p>	<p>231 x 140 x 120 mm with wooden core 4,60 kg</p>	<p>suitable for: ZIPPO / universal use</p>
<p>GP30100012030</p>	 <p>ord.nr.: 30100012030</p>	<p>120 x 100 x 30 mm 0,45 kg</p>	<p>suitable for: HERKULES</p>

<p>GPPE-900WEISS/KLEIN</p>	 <p>ord.nr.: PE-900WEISS/KLEIN</p>	<p>340 x 132 x 50 mm +/- 5 mm 0,35 kg</p>	<p>suitable for: universal use</p>
<p>GPPE-900WEISS/GROSS</p>	 <p>ord.nr.: PE-900WEISS/GROSS</p>	<p>340 x 150 x 100 mm +/- 5 mm 0,75 kg</p>	<p>suitable for: universal use</p>
<p>GP165029</p>	 <p>ord.nr.: 165029</p>	<p>380 x 260 x 13 mm 2,75 kg</p>	<p>suitable for: J.A.B. BECKER</p>
<p>GPGK40/2</p>	 <p>ord.nr.: GK40/2</p>	<p>400 x 350 x 16 mm 3,30 kg old version</p>	<p>suitable for: SLIFT / IME</p>
<p>GPGK40/12</p>	 <p>ord.nr.: GK40/12</p>	<p>400 x 350 x 12 mm 2,70 kg new version</p>	<p>suitable for: SLIFT / IME</p>
<p>GPGK53/12</p>	 <p>ord.nr.: GK53/12</p>	<p>535 x 350 x 12 mm 4,20 kg</p>	<p>suitable for: SLIFT / IME</p>
<p>GPGK34/2</p>	 <p>ord.nr.: GK34/2</p>	<p>333 x 290 x 20 mm 2,35 kg</p>	<p>suitable for: SLIFT / IME / universal use</p>
<p>GPGK45/2</p>	 <p>ord.nr.: GK45/2</p>	<p>450 x 450 x 20 mm 5,70 kg</p>	<p>suitable for: MAHA / universal use</p>

<p>GPGK39/2</p>	 <p>ord.nr.: GK39/2</p>	<p>370 x 330 x 20 mm 2,55 kg</p>	<p>suitable for: MAHA / universal use</p>
<p>GP37005/BO</p>	 <p>ord.nr.: 37005/BO</p>	<p>270 x 210 x 20 mm 1,35 kg</p>	<p>suitable for: AUTOP</p>
<p>GP37006/BO</p>	 <p>ord.nr.: 37006/BO</p>	<p>400 x 350 x 12 mm 3,35 kg incl. screw connection</p>	<p>suitable for: AUTOP</p>
<p>GP24003</p>	 <p>ord.nr.: 24003</p>	<p>405 x 305 x 35 mm 5,75 kg</p>	<p>suitable for: AUTOP</p>
<p>GP507176</p>	 <p>ord.nr.: 507176</p>	<p>220 x 120 x 12 mm 0,85 kg</p>	<p>suitable for: J.A.B BECKER</p>
<p>GP509281</p>	 <p>ord.nr.: 509281</p>	<p>220 x 170 x 12 mm 1,25 kg</p>	<p>suitable for: J.A.B BECKER</p>
<p>GPWZ-00931-AO</p>	 <p>ord.nr.: WZ-00931-AO</p>	<p>150 x 150 x 12 mm 0,75 kg</p>	<p>suitable for: HYWEMA</p>